PRICE LIST 2014

EVERY CUP BURSTING WITH INNOVATION

WECHILLIT.COM

WITH A PASSION FOR COFFEE

COFFEE QUEEN ORIGINAL

EXPOBAR

Strong brands of Crem International

MANUFACTURERS PRICE LIST ATTACHED - CALL WECHILLIT FOR DISCOUNTED PRICES

PRICE LIST

VALID FROM 1st JANUARY 2014

Index 2

Coffee Queen

Juice Machines 3
Filter Brewers 4
Bulk Brew 6
Cafetiere 8
Instant 9
Bean To Cup Freshbrew 10
Bean To Cup Espresso 11

Expobar

Capsule 12
Retro Leva 13
Diamant 14
Carat 15
G10 16
Markus 17
Markus Plus 18
Monroc 19
Special Order 20

Accessories

Grinders 21
Waste Drawers 22
Expobar Extras 23
Filtration 24
Cleaning Products 25

Terms & Conditions 26

WECHILLIT.COM

SLIM LINE (2 x 10 Litres) **Art no: S301002** ..... **£:** 2048.00

For a maximum of two flavours with or without fruit pulp and chilled water. Bag-in-box, max 2x10 litres are placed inside the machine. Adjustable mixture ratio. Drip tray with drainage. Illuminated front sign that can easily be replaced for own branding.

Model	Bag-in-Box	Capacity (approx)	Power supply	Water connection	W mm	D mm	H mm
SLIMLIN	2	325 20 cl cups/h Δ 15°C	240 V In/550W	Cold water 3/4" R	385	550	750

SL2000 (2 x 10 Litres) **Art no: S301054** ..... **£:** 2729.00

For a maximum of two flavours with or without fruit pulp. Minimal moving parts, no pumps and easy cleaning. Chilled cabinet with sealed door closing. Adjustable mixture ratio. Drip tray with drainage. Cabinet capacity 2x10 litres of concentrates. Optional extended cup rest. Easy replaced front sign for custom branding. Illuminated front sign.

Model	Bag-in-Box	Capacity (approx)	Power supply	Water connection	W mm	D mm	H mm
SL2000	2	325 20 cl cups/h Δ 15°C	240 V In/550W	Cold water 3/4" R	297	601	810

NORDIC (3 x 10 Litres) **Art no: S301012**..... **£:** 2795.00

Juice is fruity, refreshing and healthy. If it is also served from one of Coffee Queen juice dispensers, it is quick, flexible and easy to enjoy. Our dispensers are well designed and practical. They offer maximum capacity yet require minimal space. With dispensers that take up to 3 x 10 litres of juice concentrate. With the addition of the stand numerous jugs of juice can be served smoothly and simply with just a single push of a button. With no heavy jugs to carry, you are free to take care of your guests.

Model	Bag-in-Box	Capacity (approx)	Power supply	Water connection	W mm	D mm	H mm
Nordic	3	325 20 cl cups/h Δ 15°C	240 V In/550W	Cold water 3/4" R	385	550	750

NORDIC STAND **Art no: S302186**..... **£:** 218.13

Box section stainless steel stand to raise the Nordic juice machine up to enable serving juice directly into a jug.

NORDIC STAND DRIPTRAY **Art no: S302189**..... **£:** 53.49

Stainless steel drip tray without drain fitting for use with the Nordic stand.

CLEANING BOTTLE **Art no: S302092**..... **£:** 4.20

Plastic bottle used for running cleaning detergent through outlet valves

CLEANING BRUSH **Art no: S302020**..... **£:** 2.72

Juice machine cleaning brush

WECHILLIT.COM

Filter Brew

SINGLE PLATE POUR & SERVE M1 **Art no: Q1002210** ..... **£:** 199.00

Manual water filling with 1 x 85W decanter warming plates. Machine is supplied with 1 glass decanters and 25 pcs filter paper are also included. Designed for applications where the location of the machine may be under a wall unit and the top heater plate is not required.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QM-1	15 Ltr per hour	2390W/230V	11.5A	13A Socket	8 Kg	205	360	430

DOUBLE PLATE POUR & SERVE M2 **Art no: Q1002310** ..... **£:** 199.00

Manual water filling with 2 x 85W decanter warming plates. Full stainless steel construction as with all the machines in the range complete with full one piece stainless steel boiler. Machine is supplied with 2 glass decanters and 25 pcs filter paper are also included.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QM-2	15 Ltr per hour	2390W/230V	11.5A	13A Socket	9 Kg	205	360	430

DOUBLE PLATE PLUMBED POUR & SERVE A2 **Art no: Q1002610** ..... **£:** 359.00

Automatic water filling. 2 warming plates, 2 1,8 litre glass decanters, 1,5 metre connection hose and 25 pcs filter paper are included. Front panel electronic time control allows for easily adjustable brewing settings of between 4-12 cups and audible brewing complete signal.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QA-2	15 Ltr per hour	2390W/230V	11.5A	13A Socket	9 Kg	205	360	430

OFFICE THERMOS **Art no: Q1002190** ..... **£:** 199.00

A small, flexible machine with manual water filling. Brews coffee directly through the lid into a 1.9 litre thermos, which facilitates handling and serving. Its 12-cup capacity per brew makes the machine perfect for small workplaces or serving sites. Brewing time approx. 7 minutes. Supplied complete with one 1.9ltr stainless steel Thermos jug.

Model	Brew	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
Q110330	15 Ltr per hour	2200W	11.0A	13A Socket	9 Kg	205	360	430

2.2 LTR THERMOS M BREWER **Art no: Q1004341**..... **£:** 266.00

With Coffee Queen Thermos you brew your coffee directly into a practical 2,2 litre air pot. Handy when you need to keep the coffee warm as well as retain its taste and aroma. Remove the thermos from the coffee brewer and position it where you want the coffee to be served. Manual water filling. 1 pc 2,2-litres airpot and 25 pcs filter paper are included.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QTM	15 Ltr per hour	2200W/230V	11.0A	13A Socket	10 Kg	205	460	545

2.2LTR THERMOS A PLUMBED **Art no: Q1004390**..... **£:** 367.00

With Coffee Queen Thermos you brew your coffee directly into a practical 2,2 litre air pot. With adjustable amount of brew and brewing complete signal. Amount of brewing is programmed between 4-15 cups can easily be adjusted at the front of the machine. Automatic water filling. 1 pc 2,2-litres airpot, 1 metre connection hose and 25 pcs filter paper are included.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QTA	15 Ltr per hour	2200W/230V	11.0A	13A Socket	10 Kg	205	460	545

Filter Brew

TWIN HOTPLATE **Art no: Q1001120** ..... **£:** 75.00

Stand alone double hot plate system for increased demand when using our M2 brewer machine. This addition will enable you to have 4 jugs of coffee ready and waiting for the busy periods (supplied without jugs).

Model	Hotplates	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QV2	2	190W/230V	0.75	13A Socket	2 Kg	360	190	60

2.2LTR AIRPOT **Art no: Q1103184**..... **£:** 44.00

The 2.2 Litre silver pump flask with level glass is a great accessory to bring to your coffee solution at the office, or at a restaurant. This flask will keep any liquid for hot beverages hot or cold. It is most widely used for filter coffee, by adding this accessory to your filter machine, you will be able to decant the filter coffee after brewing and keep the coffee hot for up to two hours after brewing.

Model	Brew	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
Q110318	2.2ltr	N/A	N/A	N/A	1.5 Kg	170	170	480

1.8LTR GLASS DECANTER **Art no: Q110001**..... **£:** 12.00

Extra/ Replacement 1.8ltr glass serving jug with integral lid for use on any pour and serve type filter machine. Supplied in single box.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
Q110001	1.8 LTR	N/A	N/A	N/A	0.5 Kg	205	360	430

1.9LTR STAINLESS THERMOS **Art no: Q1103256**..... **£:** 44.00

1.9ltr stainless steel thermos serving jug with integral lid for use on the Office Thermos machine.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
Q1103256	1.9 LTR	N/A	N/A	N/A	0.5 Kg	205	360	430

90mm FILTER HOLDER **Art no: Q1102016**..... **£:** 22.00

Stainless steel filter holder for all the filter machines. Supplied complete with integral filter paper grill.

2.2ltr PITCHER **Art no: Q110351** ..... **£:** 6.75

Plastic jug for use in filling all types of our filter equipment range of machine. This will help the lifespan and reliability of the machine by allowing the user to fill the machine with clean water rather than them using the coffee jug.

FILTER PAPERS 1.8ltr **Art no: Q110100** ..... **£:** 17.00

High quality filter papers designed to fit the Coffee Queen range of brewing equipment. 1.8ltr papers are supplied in boxes of 4x250 sleeves.

PLEASE NOTE THAT WE CAN OFFER MULTI BUY DISCOUNTS ON ALL THE ABOVE - PLEASE ASK

Bulk Brew

5ltr TOWER BREWER + HOT WATER **Art no: Q1008313**..... **£:** 1652.00

Fast and easy to handle bulk brewer with hot water tap. One uniquely designed 5 litre serving station (vacuum thermos) with tap, sight gauge and integrated handle grip. The serving station also has a rotating function for easy handling. Option for full- or half brew and brewing complete signal. Full brewing of 5 litres takes approx. 7 minutes. When buying additional serving stations we will include FOC display covers with the additional stations.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
TOWER	30 Ltr per hour	9000W/415V	39A	39A WIRED	22 Kg	551	500	950

10ltr TOWER BREWER + HOT WATER **Art no: Q1008310** ..... **£:** 1996.00

Fast and easy to handle bulk brewer with hot water tap. 2 uniquely designed 5 litre serving stations (vacuum thermoses) with tap, sight gauge and integrated handle grip. The serving station also has a rotating function for easy handling. Brewing on both sides at the same time. Option for full- or half brew and brewing complete signal. Full brewing, 2 x 5 litres takes approx. 7 minutes. When buying additional serving stations we will include FOC display covers with the additional stations.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
TOWER	60 Ltr per hour	9000W/415V	39A	39A WIRED	30 Kg	930	500	950

CATER 2.5ltr BREWER + HOT WATER **Art no: Q1008620**..... **£:** 666.00

A quick and flexible brewer that brews directly into an elegant 2.5 litre serving station with tap and sight glass. Brewing time is approx. 5.5 minutes. The brewer features automatic water refill, a full and half brewing function, built-in tank and hot water tap on the front of the machine. FOC display covers are offered when ordering additional serving stations with this product.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
CATER	21 Ltr per hour	2500W/230V	11.5A	13A Socket	15 Kg	205	420	675

2.5ltr BULK TEA BREWER + HOT WATER **Art no: Q1018625**..... **£:** 716.00

Tea Cater is a high capacity 2,5L tea-brewer for the global market. It is specially made to suit the huge variety of teas around the world with a user-friendly interface and many configuration possibilities. The Tea Cater has electronic pre-infusion control, digital temperature control, adjustable brew-amount and adjustable PDS-inlet valve. The pre-infusion and the adjustable brew-temperature provide an optimum environment to brew the perfect tea. The Tea Cater is using our renowned and award-winning 2,5L Serving Station and can of course also be fitted with our attractive display cover, explaining the unique qualities of the tea brewed and served. Our Tea Cater is ready to serve, anywhere and anytime.

Model	Brew	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QTCATER	40 Ltr per hour	2500W/230V	11.5A	13A Socket	15 Kg	205	420	675

2.5ltr MEGA GOLD M BREWER **Art no: Q1004410** ..... **£:** 416.00

An effective brewer with manual water refill. Its capacity is approx. 17 cups in 7 minutes, and brewing takes place directly in a practical 2.5 litre serving station. Manual water filling with jug supplied and easy filling point at the top front. FOC display covers are offered when ordering additional serving stations with this product.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QMM	19 Ltr per hour	2200W/230V	11.0A	13A Socket	12 Kg	205	390	640

2.5ltr MEGA GOLD A PLUMBED BREWER **Art no: Q1004610**..... **£:** 499.00

An effective brewer with automatic water refill. Its capacity is approx. 17 cups in 7 minutes, and brewing takes place directly in a practical 2.5 litre serving station. With automatic water refill complete with a digital display and an alarm that signals when brewing is finished. Can also be manually filled. The brewing amount can be adjusted between 4 and 17 cups. FOC display covers are offered when ordering additional serving stations with this product.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QMA	19 Ltr per hour	2200W/230V	11.0A	13A Socket	12 Kg	205	390	640

HVA WATER BOILER

Art no: Q1006110..... **£:** 434.00

Art no: Q1006111 **£:** 818.00

Electronic hot water boiler with programmable selection of either automatic or manual water filling which means one boiler fits all applications. Digital display for temperature readout and a boiler capacity of 7.5 litres. Desired temperature can also be adjusted electronically to suit any type of beverage being served. Supplied with 1,5 metre connection hose and removable drip tray.

Model	Boiler	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QHVA	7.5LTR	2200W/230V	11.0A	13A Socket	11 Kg	225	410	500
QHVA	7.5LTR	6600W/415V	32.0A	3 Phase 6600w	14 Kg	225	410	500

GRINDER ORIGINAL

Art no: Q1008800 ..... **£:** 713.00

Grinder Original is an elegant and silent grinder for grinding coffee beans directly into filter holder. It has a clear display at the front where you can easily adjust the amount of coffee for the number of cups you are brewing. You can also easily adjust the settings for the grind. The design of the grinder is in line with our Original Line brewers with high polished stainless steel. This makes this grinder suitable for all existing as well as new environments. Grinder Original Fits all our Original and Serving Concept coffee brewers, as well as most 1.8 litre brewer filter pans on the market due to the auto adjustable filter pan holders.

Model	Brew Capacity	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QGORIG	N/A	400W/230V	1.5A	13A Socket	13 Kg	215	360	575

2.5LTR SERVING STATION

Art no: Q1103303..... **£:** 99.00

Our serving station is elegant, timeless and practical. The serving station has a stainless steel inner lining and it has a practical tap and level indication tube. Since no external heat is supplied, the coffee retains its excellent taste and aroma for a long time. The serving station also fits into all possible environments, and is quick and easy to handle. Lift the serving station off the brewer and put it wherever you want to serve the coffee.

Model	Brew	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
Q110330	2.5 LTR	N/A	N/A	N/A	3 Kg	205	360	430

5.0LTR SERVING STATION

Art no: Q1103302..... **£:** 199.00

Our serving station is elegant, timeless and practical. The serving station has a stainless steel inner lining and it has a practical tap and level indication tube. Since no external heat is supplied, the coffee retains its excellent taste and aroma for a long time. The serving station also fits into all possible environments, and is quick and easy to handle. Lift the serving station off the brewer and put it wherever you want to serve the coffee.

Model	Brew	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
Q110330	5.0 LTR	N/A	N/A	N/A	4 Kg	205	460	545

DISPLAY COVERS

2.5LTR Art no: Q1103371..... **£:** 14.99

5.0LTR Art no: Q1103370..... **£:** 19.99

For those who pay attention to detail and the impression they make on their guests. The serving stations not only allow you to serve good coffee. You can also show your guests special care by specially designing the display lids of the serving stations. It is easy and looks great. Imagine what impression you will make when all the served coffee types are profiled on the lid. Or why not promote your company logo? You know what they say - a product is the sum of the parts.

FILTER PAPERS

1.8LTR Art no: Q110100..... **£:** 17.00

2.5LTR Art no: Q110110..... **£:** 24.55

5.0LTR Art no: Q110102..... **£:** 55.00

High quality filter papers designed to fit the Coffee Queen range of brewing equipment. 1.8ltr and 2.5ltr papers are supplied in boxes of 4x250 sleeves and 5ltr papers are supplied in boxes of 2 x 250 sleeves.

PREZZO AUTO CAFETIERE

Art no: Q1040903 ..... **£:** 2395.00

Prezzo is a fully automatic machine that in one push grinds fresh beans and at the same time fills the cafetiere with the correct amount of water. The machine gives you the ability to quickly and easily achieve a quality assured coffee thanks to its simple way of selecting functions and preprogrammed recipes, always with the right temperature. Prezzo is also equipped with two bean hoppers and two grinders

Model	Boiler	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
PREZZO	7.5LTR	6600W/230V	32.0A	3 Phase Supply	30 Kg	293	532	865

HVA WATER BOILER

Art no: Q1006110..... **£:** 434.00

Art no: Q1006111 **£:** 818.00

Electronic hot water boiler with programmable selection of either automatic or manual water filling which means one boiler fits all applications. Digital display for temperature readout and a boiler capacity of 7.5 litres. Desired temperature can also be adjusted electronically to suit any type of beverage being served. Supplied with 1,5 metre connection hose and removable drip tray.

Model	Boiler	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
QHVA	7.5LTR	2200W/230V	11.0A	13A Socket	11 Kg	225	410	500
QHVA	7.5LTR	6600W/415V	32.0A	3 Phase 6600w	14 Kg	225	410	500

GRINDER ORIGINAL

Art no: Q1008800..... **£:** 713.00

Grinder Original is an elegant and silent grinder for grinding coffee beans directly into the cafetiere. It has a clear display at the front where you can easily adjust the amount of coffee to the size of the cafeitiere you are using. You can also easily adjust the settings for the grind. The design of the grinder is in line with our Original Line brewers with high polished stainless steel.

Model	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
GRINDER ORIGINAL	400W/230V	1.5A	13A Socket	11 Kg	215	360	575

90mm FILTER HOLDER

Art no: Q1102016..... **£:** 22.00

Stainless steel filter holder for filter machine and fits into the Grinder Original to enable freshly ground filter coffee to be served. Supplied complete with integral filter paper grill.

WECHILLIT.COM

COFFEE QUEEN INSTANT 1 (1 canister) **Art no:** Q1007103 ..... **£:** 631.00

Instant 1 machine is a compact instant ingredients machine with one product canister for when you need to serve a good quality coffee or hot chocolate in a quick and simple way. With 2 drink options selections for small or large cup making a fresh cup in under 10 seconds. Perfect machine for the workplace, fast food outlet and hospitality industry.

Model	Ingredient canisters	Power supply	Water connection	Weight	W mm	D mm	H mm
Instant 1	1	240 V In/2200W	Cold water 3/4" R	14kg	180	450	460

COFFEE QUEEN INSTANT 2 (2 canister) **Art no:** Q1007107 ..... **£:** 762.00

A small and compact instant ingredients machine with two product canister for when you need to serve a good quality coffee or hot chocolate in a quick and simple way. Up to 4 drink option buttons are available and 2 product canisters means the machine will cope with a variety of drink options. Makes a cup in under 10 seconds. Perfect machine for the workplace, fast food outlet and hospitality industry.

Model	Ingredient canisters	Power supply	Water connection	Weight	W mm	D mm	H mm
Instant 2	2	240 V In/2200W	Cold water 3/4" R	17kg	220	450	530

COFFEE QUEEN INSTANT 3 (3 canister) **Art no:** Q1017116 ..... **£:** 859.00

A small and compact instant ingredients machine with three product canisters for when you need to serve a good quality coffee or hot chocolate in a quick and simple way. Up to 4 drink option buttons are available and 3 product canisters means the machine will cope with a variety of drink options. Makes a cup in under 10 seconds. Perfect machine for the workplace, fast food outlet and hospitality industry.

Model	Ingredient canisters	Power supply	Water	Weight	W mm	D mm	H mm
Instant 3	3	240 V In/2200W	Cold water 3/4" R	18kg	220	450	530

COFFEE QUEEN ELITE (2-4 canister) **Art no: Q1006904** ..... **£:** 1514.00

COFFEE QUEEN ELITE 6kW (2-4 canister) **Art no: Q1006909** ..... **£:** 1995.00

VALIDATOR KIT Coin/Token validator. no change given. **Art no: Q7130023** **£:** 315.00

TOKEN PACK Tokens for validator pack qty 100. **Art no: QTOKEN** ..... **£:** 42.00

Café Elite has high capacity, is compact, easy to maintain and offers a variation of beverages which makes it suitable in the work environment as well as within the fast food- and hospitality environment. Press the button and within a few seconds the drink is ready! The machine has automatic water filling, built in five litre tank, and four ingredients canisters. The illuminated front display means that the machine lends itself very well to profiling.

Model	Ingredient canisters	Power supply	Water connection	Weight	W mm	D mm	H mm
Elite 4	2-4	240 V In/2200W	Cold water 3/4" R	34.5kg	310	515	735
Elite 4 6K	2-4	240 V In/6600W	Cold water 3/4" R	35.5kg	310	515	735

WECHILLIT.COM

COFFEE QUEEN CQube SF12 **Art no: Q1040910**..... **£:** 2399.00

Cqube SF12 is a small footprint filter brewing machine with integral Mahlkonig grinder and 1.2kg bean container along with two containers of ingredients for topping and chocolate, which together provide up to seven drink options. It has a capacity of 110 cups per filling and features adjustable coffee strength. The machine comes in two versions. Supplied as standard with pushbutton panel or optional 7.5 inch high resolution touch screen.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water connection	W mm	D mm	H mm
SF12	1	1	2	2200W	13A Socket	Cold water 1/2" R	293	532	818

COFFEE QUEEN CQube SF20 **Art no: Q1040911**..... **£:** 2699.00

The CQube SF20 model comes with two bean hoppers, two grinders and is equipped to give connoisseurs and coffee lovers the opportunity to enjoy coffee from different coffee beans. CQube SF20 is machine comes in two versions. Supplied as standard with push-button panel or optional 7.5 inch high resolution touch screen.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water connection	W mm	D mm	H mm
SF20	2	2	0	2200W	13A Socket	Cold water 1/2" R	293	532	818

COFFEE QUEEN CQube MF13 **Art no: Q1040101**..... **£:** 2899.00

Cqube Medium comes complete with one professional grinder that grinds the coffee quietly. MF13 CQube medium is a filtering machine having one bean hopper and three additional ingredient containers including topping and chocolate, which provides up to 10 different drink options. CQube has a capacity of 200 cups per filling. It also has adjustable coffee strength, and brews without pressure which provides a high quality fresh black coffee with no crema. Available with optional matching base cabinet. Machine comes as standard with push-button panel or optional 7.5 inch high resolution touch screen.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water connection	W mm	D mm	H mm
MF13	1	1	3	2400W	13A Socket	Cold water 1/2" R	420	550	880

COFFEE QUEEN CQube LF13 **Art no: Q1040301**..... **£:** 3199.00

Cqube Medium is a fully automatic freshly brewed automatic professional grinder that grinds the coffee quietly. MF13 CQube medium is a filtering machine having a brewing bean container and three additional ingredient container including topping and chocolate, which provides up to 10 drink options. CQube has a capacity of approx 350 cups per filling. It also has adjustable coffee strength, which brews without pressure and provides a normal black coffee with no crema. An optional matching base cabinet.
The machine comes supplied with push-button interface or optional 7.5 inch high resolution touch screen upgrade is available.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water connection	W mm	D mm	H mm
LF04	1	1	3	2400W	13A Socket	Cold water 1/2" R	420	550	1000

OPTIONAL CQUBE ACCESSORIES

A wide variety of accessories are available for the entire CQube range of Freshbrew machines.

Base cabinets can be supplied as standard or with built in water cooler functions with options of chilled or sparkling water.

Coin and token validators are available which can also be installed into the CQube medium and also the option of a change giver being fitted to the LF series.

Hi resolution LCD screen will add multi function to the drinks menus and enable custom animated screens for products and brand promotion marketing.

HI-RES TOUCH SCREEN

MF/LF BASE CABINET

SF BASE CABINET

Auto Espresso

CQube SE20 Barista **Art no: Q1040930** ..... **£:** 5499.00

A perfect espresso or a cappuccino with fresh milk? - Real milk whisked and gently warmed for maximum taste and enjoyment. CQube SE20 Barista is a real espresso machine - an automatic barista. Complete with high resolution touch screen interface that conveys a sense of modern design and provides opportunities for new functional technology along with on screen user graphics both static and animated. The unique self-cleaning milk system which is patented whisks and heats the fresh milk to the perfect temperature and consistency. With its two separate bean hoppers connoisseurs and coffee lovers also have the opportunity to enjoy espresso from different coffee beans.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water	W mm	D mm	H mm
SE20	2	2	1	2200W	13A Socket	Cold water 3/4”	514	532	818

CQube SE12 **Art no: Q1040917** ..... **£:** 2499.00

CQube SE12 is a fully automatic espresso coffee machine equipped with a high-quality espresso mechanism and grinder and it is developed to meet the standards for an excellent espresso with perfect crema. In addition to the bean hopper, the machine has two ingredient canisters for instant products, giving you the opportunity to offer up to 10 different drinks. The machine features a dual water system, one for espresso and one for instant products. This enables instant drinks to be mixed at the right temperature giving you drinks of the highest quality. As a standard this machine comes with a pushbutton panel.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water	W mm	D mm	H mm
SE12	1	1	2	2200W	13A Socket	Cold water 3/4”	293	532	818

CQube SE12TS **Art no: Q1040907** ..... **£:** 3299.00

CQube SE12 complete with high resolution touch screen interface that conveys a sense of modern design and provides opportunities for new functional technology along with on screen user graphics both static and animated. In addition to the bean hopper, the machine has two ingredient canisters for instant products, giving you the opportunity to offer up to 10 different drinks. The machine features a dual water system, one for espresso and one for instant products. This enables instant drinks to be mixed at the right temperature giving you drinks of the highest quality.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water	W mm	D mm	H mm
SE12TS	1	1	2	2200W	13A Socket	Cold water 3/4”	293	532	818

Brilliance **Art no: Q1019500** **£:** 1699.00

Validator Kit Coin validator. no change given. **Art no: Q7130024**..... **£:** 175.00

Base Cabinet **Art no: Q10192343**..... **£:** 379.00

Is a fully automatic espresso machine with integrated grinder, which serves a perfect espresso using freshly ground beans. You can choose between 7 different varieties of beverage as well as hot water all brewed directly into your cup, by just pressing a button. Brilliance has automatic water filling, one large bean hopper for beans and two ingredient canisters for soluble products.

Model	Grinder	Hopper	Canisters	Power	Mains connection	Water	W mm	D mm	H mm
Brillianc	1	1	2	1250W	13A Socket	Cold water 3/4”	394	474	664

TABLETS 1 X 100 CLEANER TABLETS **Art no: URN1002-1**..... **£:** 12.50

Cafiza® Espresso Machine Cleaning Tablets are specifically designed for use on a wide-range of super automatic espresso machines. We have worked long and hard to develop a product that meets the demands of a wide range of commercial fully automatic espresso machines.

COFFEE QUEEN SE MILK CLEANER **Art no: Q1104165**..... **£:** 9.38

Milk cleaner designed and formulated specifically to be used on the CQUBE range of fully automatic SE bean to cup range of machines. Supplied in a custom bottle that sits in a compartment within the machine, the liquid is then used automatically during the auto rinse/clean cycles that are programmed into the machine.

Retro Leva

EBICA RETRO 2 GROUP **Art no: C2EBICA**..... **£:** 2450.00

Semi-automatic retro styled espresso coffee machine finished in polished stainless steel. Supplied with 2 lever styling operated groups using the EB-61 group head, made of bronze of the highest quality, and copper boiler with 11,5 litres capacity with heat exchanger per group and cleaning valve. One steam tap (stainless steel) and one hot water tap.

Model	Groups	Boiler	Power supply	Amps	Power	Weight	W mm	D mm	H mm
Ebica	2	11.5 Ltr	3330W/230V	14.5A	16A Wired	52 Kg	650	560	490

OFFICE LEVA 1 BOILER **Art no: C1LEVA1BT**..... **£:** 999.00

Mini Semi-Automatic espresso coffee machine with 1 group EB-61 with lever, made of bronze of the highest quality, with inbuilt manual fill water tank and copper boiler with 1,5 litres capacity with heat exchanger per group and cleaning valve. One steam tap and one hot water tap. Switchable mains water feed or inbuilt tank feed operation.

Model	Boiler	Tank Capacity	Power supply	Power Connection	Weight	W mm	D mm	H mm
C1LEVA1B	1.5ltr	2.75ltr	1200W/230V	13A Socket	23 Kg	240	420	400

OFFICE LEVA 2 BOILER PID **Art no: C1LEVA2BT**..... **£:** 1285.00

Mini Semi-Automatic espresso coffee machine with 1 group EB-61 with lever, made of bronze of the highest quality, with inbuilt manual fill water tank and dual boiler system: one boiler for steam, hot water and to pre-heat the water entering to the boiler. The second boiler keeps the right temperature of water for the extraction of coffee. This model comes complete with the latest generation PID sensor to guarantee a consistent brewing temperature. One steam tap and one hot water tap. Switchable mains water feed or inbuilt tank feed operation.

Model	Boiler	Tank Capacity	Power supply	Power Connection	Weight	W mm	D mm	H mm
C1LEVA2B	2 x 1.5ltr	2.75ltr	1200W/230V	13A Socket	26 Kg	240	420	400

OFFICE LEVA ROTARY PUMP 2 BOILER PID **Art no: C1LEVA2BP**..... **£:** 1365.00

Mini Semi-Automatic espresso coffee machine with integrated brass rotary pump. 1 group EB-61 with lever, made of bronze of the highest quality, with connection to the mains water supply. Dual boiler system design: one boiler for steam, one boiler hot water and to pre-heat the water entering to the boiler. The second boiler keeps the right temperature of water for the extraction of coffee. This model comes complete with the latest generation PID sensor to guarantee a consistent brewing temperature. One steam tap and one hot water tap. Mains water feed only.

Model	Boiler	Tank Capacity	Power supply	Power Connection	Weight	W mm	D mm	H mm
C1LEVA2B	2 x 1.5ltr	N/A	1200W/230V	13A Socket	31 Kg	240	420	400

WECHILLIT.COM

QUARTZ

Art no: C1QUARTZ..... £: 1099.00

Capsule group with direct pre-infusion chamber for optimal taste and aroma to every cup of espresso. With a capacity that will satisfy the most demanding barista, but still keeping the neat size and convenient features. You can have your Quartz branded with your company name or favourite coffee* Designed to be plumbed in or manual water tank operation means the Quartz will suit any environment with ease.

CAPSULE SYSTEM

EASY CONTROL

Model	Boiler	Tank Capacity	Power supply	Power Connection	Weight	W mm	D mm	H mm
C1QUARTZ	1.7ltr	2.00ltr	2000W/230V	13A Socket	18 Kg	260	410	399

G10 2 GROUP CAPSULE

Art no: C2G10CCAP..... £: 2276.00

Compact automatic espresso coffee machine with 2 groups incorporating auto eject capsule system with built in used capsule waste drawer. Electronic keypads to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 6 litres capacity with one heat exchanger per group and cleaning valve. Equipped with one stainless steel steam arm, which is heat insulated so does not get hot when used and one hot water tap.

Model	Groups	Boiler	Power supply	Power Connection	Weight	W mm	D mm	H mm
C2G10CCAP	2	6.0ltr	2740W/230V	13A Socket	36 Kg	240	420	400

We can supply Auto Eject brew systems on all the above machines to run with most of the worlds leading brands of capsules currently available on the market. Please ask if you require any further information on your capsule type and operation with any of our machines.

STANDARD MACHINE CONVERSIONS

Art no:..... £: 100.00

We also have conversion kits for fitting to our Expobar range of espresso machines to enable you to convert the E61 group head over to your choice of capsule.

CAPSULES TYPES ACTUALLY AVAILABLE

CAFFITALY
DELTA
ILLY
INTEREXPRESO
LAVAZZA
MOKA D'OR
VERACRUZ

WECHILLIT.COM

DIAMANT 2 GROUP PID **Art no: C2DIATA**..... **£:** 4550.00

Automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 11,5 litres capacity with one heat exchanger per group. Three steam arms, one equipped with a temperature sensor and auto turbo frothing system. and two hot water taps. Maximum precision temperature control using PID technology. Display: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo	PID	Weight	W mm	D mm	H mm
C2DIAS	2	11.5 Ltr	3500W/230V	Yes	Yes	80 Kg	880	620	594

DIAMANT 2 GROUP BARISTA TCS/PID **Art no: C2DIA3BTA** ..... **£:** 4970.00

Automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and 1,5 Litres separate boiler and 1200 w. for each brewing group and copper boiler with 11,5 litres capacity. Two hot water taps, a total of three steam arms, one equipped with a temperature sensor and auto turbo frothing system. Maximum precision temperature control using PID technology. Display: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
C2DIA3B	2	11.5+1.2+1.2	3500W/230V	Yes	Yes	87 Kg	880	620	594

DIAMANT 3 GROUP PID **Art no: C3DIATA**..... **£:** 5260.00

Automatic espresso coffee machine with 3 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling. Copper boiler with 17,5 litres capacity and 6000 w. Two hot water taps of which one is programable. A total of three steam arms with one of the arms featuring electronic temperature controlled set via the display and auto turbo frothing system. Display features: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
C3DIAS	3	17.5 Ltr	6000W/3P+N	Yes	Yes	96 Kg	1140	630	594

DIAMANT 3 GROUP BARISTA TCS/PID **Art no: C3DIA4BTA** ..... **£:** 5950.00

Automatic espresso coffee machine with 3 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and 1,5 Litres separate boiler and 1200 w. for each brewing group and copper boiler with 17,5 litres capacity and 6000 w. Two hot water taps of which one is programable. A total of three steam arms with one equipped with a temperature sensor and auto turbo frothing system. Maximum precision temperature control using PID technology. Display: advertising, automatic dosing of hot water, milk frothing temperature display, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display. Intelligent power control means this machine never goes above 6000W power usage.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
C3DIA4B	3	17.5+1.2+1.2+1	6000W/3P+N	Yes	Yes	107 Kg	1140	630	594

PLEASE NOTE THAT WE OFFER A FREE RAL CUSTOM COLOUR OPTION AVAILABLE ON ABOVE DIAMANTS BUILT TO ORDER

CUSTOM BRANDING

Available on a POA basis why not give your Diamant it's very own look. Create added value for your business and your customers with a custom design that communicates your companies profile, logo or other message. The possibilities are endless and timeless as a Diamond...

DIAMANT 3 GROUP GLASS

CARAT 1 GROUP PID

Art no: C1CARTA..... £: 2495.00

The Carat is a stylish and modern high-end, high-tech, low-energy espresso machine. Equipped with PID boiler control and the highest quality components such as turbo steam arm for automatic milk frothing and also one no-burn steam arm with lever operated valve . The machine is supplied with 1 groups which have electronic keypad control of the coffee dosage through volumetrically measuring, with automatic water filling and copper boiler with 6.0 litres capacity with one heat exchanger per group. Display: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
CARAT	1	6 Ltr	2500W/230V	Yes	Yes	45 Kg	586	563	620

CARAT 2 GROUP PID

Art no: C2CARTA..... £: 3295.00

The Carat is a stylish and modern high-end, high-tech, low-energy espresso machine. Equipped with PID boiler control and the highest quality components such as turbo steam arm for automatic milk frothing and also one no-burn steam arm. The machine is supplied with 2 groups which have electronic keypad control of the coffee dosages through volumetrically measuring, with automatic water filling and copper boiler with 11,5 litres capacity with one heat exchanger per group. Display: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
CARAT	2	11.5	3050W/230V	Yes	Yes	52 Kg	774	563	620

ENERGY EFFICIENT

With technical innovations we have lowered the power consumption with more than 40%. There has never been a purer cup of passion.

PERFECT MILK

Get perfectly foamed milk in just a touch of a button. Just set the temperature and let the turbo steamer do the rest.

AESTHETIC DESIGN

Innovative design and high-class finishing touches makes the Carat comfortable in any surroundings.

WECHILLIT.COM

1 GROUP G10 COMPACT TAKE AWAY **Art no: C1G10TA..... £:** 1470.00

Compact automatic espresso coffee machine with 1 group in take away only version for taller cups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 6 litres capacity with heat exchanger per group and cleaning valve. One steam tap (stainless steel) and one hot water tap.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
G10	1	6 Ltr	2500W/230V	No	No	36 Kg	460	580	530

2 GROUP COMPACT G10 TAKE AWAY **Art no: C2G10CTA..... £:** 1740.00

Compact automatic espresso coffee machine with 2 group in take away only version for taller cups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 6 litres capacity with heat exchanger per group and cleaning valve. One steam tap (stainless steel) and one hot water tap.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
C2G10CTA	2	6 Ltr	2500W/230V	No	No	40 Kg	460	580	530

2 GROUP G10 PID **Art no: C2G10TA..... £:** 2163.00

Automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 11,5 litres capacity with heat exchanger per group and cleaning valve. Two steam tap (stainless steel) and one hot water tap. Display: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
G10	2	11.5 Ltr	3050W/230V	No	Yes	55 Kg	690	580	530

2 GROUP G10 3 BOILER TCS **Art no: C2G10TA3B ..... £:** 2985.00

Automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and 1,5 Litres separate boiler and 1200 w. for each brewing group and copper boiler with 11,5 litres capacity and 3050 w. only for the hot water tap, the two steaming pipes end for preheating the water for the separate boilers. Intelligent management of the power input by the machine, so the total consumption never exceeds 3050 w. Two steam tap (stainless steel) and one hot water tap. Display: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
G10	2	11.5 + 2 x 1.5	3050W/230V	No	Yes	60 Kg	690	580	530

3 GROUP G10 PID **Art no: C3G10TA..... £:** 2664.00

Automatic espresso coffee machine with 3 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 17,5 litres capacity with heat exchanger per group and cleaning valve. Two steam tap (stainless steel) and one hot water tap. Display: advertising, automatic dosing of hot water, time management, and memorization of total brewed coffees, daily automatic switch ON/OFF of the coffee machine, control of the boiler temperature through display.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
G10	3	17.5 Ltr	6000W/3P+N	No	Yes	73 Kg	980	580	530

2 GROUP COMPACT MARKUS **Art no: C2MACTA** ..... **£:** 1662.00

Compact automatic espresso coffee machine with 2 groups, with automatic water filling and copper boiler with 6 litres boiler capacity with individual heat exchanger per group and cleaning valve. Including 2 steam arms (stainless steel) and one keypad controlled hot water tap.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
MARKUS	2	6 Ltr	2500W/230V	No	No	40 Kg	460	580	530

2 GROUP MARKUS **Art no: C2MASTA**..... **£:** 2088.00

Automatic espresso coffee machine with 2 groups, electronic keypads to control the coffee dosages volumetrically, with automatic water filling and copper boiler with huge 11,5 litres capacity with heat exchanger per group and cleaning valve. Two steam arms (stainless steel) and one hot water tap.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
MARKUS	2	11.5 Ltr	3050W/230V	No	No	45 Kg	690	580	530

3 GROUP MARKUS **Art no: C3MASTA**..... **£:** 2589.00

Automatic espresso coffee machine with 3 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 17,5 litres capacity with heat exchanger per group and cleaning valve. Two steam arms (stainless steel) and one hot water tap.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
MARKUS	3	17.5 Ltr	6000W/3P+N	No	No	65 Kg	980	580	530

4 GROUP MARKUS **Art no: C4MASTA**..... **£:** 2989.00

Automatic espresso coffee machine with 4 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 17,5 litres capacity with heat exchanger per group and cleaning valve. Two steam arms (stainless steel) and one hot water tap. Please note that this machine is built to order and will take approximately 3 weeks lead time.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
MARKUS	4	17.5 Ltr	6000W/3P+N	No	No	70 Kg	980	580	530

EXPOBAR 1 GROUP MARKUS PLUS **Art no: C1MAPTA.....** **£:** 1662.00

Compact automatic espresso coffee machine with 1 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 6 litres capacity with heat exchanger per group and cleaning valve. One steam tap (stainless steel) and one hot water tap. Automatic grinder, coffee cutting blades 60 mm diameter, motor 445w. provided of thermic protection, 1300 rpm. Coffee doser dispenser from 5 to 12 gr.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
MARKUS	1	6 Ltr	2500W/230V	No	No	47 Kg	460	580	530

EXPOBAR 2 GROUP MARKUS PLUS **Art no: C2MAPTA.....** **£:** 2330.00

Automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 11,5 litres capacity with heat exchanger per group and cleaning valve. Two steam tap (stainless steel arms) and one hot water tap. Automatic grinder, coffee cutting blades 60 mm diameter, motor 445w. provided of thermic protection, 1300 rpm. Ground coffee dispenser from 5 to 12 gr.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
MARKUS	2	11.5 Ltr	3050W/230V	No	No	55 Kg	690	580	530

Compact Under Machine Drawer **Art no: 20436 .....** **£:** 195.00

Compact under machine knock out drawer suitable for our 1 and 2 group compact range of machines where space is limited. Manufactured from stainless steel and steel to provide years of service and black powder coated main body. Fitted with a solid knock out bar and removable inner drawer. The drawer sits on 4 rubber feet to stop sliding on the counter top and then the machine sits on top of the drawer adding an extra 113mm to the overhaul height of a machine.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
20436	150 Coffee's	7.7 Kg	410	510	113

Standard Under Machine Drawer **Art no: 20437 .....** **£:** 317.00

Polished stainless steel under machine knock out drawer for our 2 group standard range of machines where space is vital. Manufactured from polished stainless steel to provide years of service. Fitted with a solid nylon knock out bar. The drawer sits on 4 rubber feet to stop sliding on the counter top and then the machine sits inside the drawer only adding an extra 70mm to the height of a machine.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
20437	100 Coffee's	8 Kg	632	525	120

Built In Drawer **Art no: E111810150 .....** **£:** 169.00

Polished stainless steel under counter built in knock out drawer. PDF fitting sheet is available for download from www.expobar.co.uk very high quality product and ideal for fitting below the espresso machine where space at the side is not available.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
E111810150	200 Coffee's	5 Kg	349	425	136

MONROC 1 GROUP **Art no: C1MONOTA ..... £:** 1245.00

Automatic espresso coffee machine with 1 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 6.0 litres capacity with heat exchanger per group and cleaning valve. One steam tap (stainless steel) with cool wall steam arm and one hot water tap. Available in takeaway group head version and white bodywork with stainless front.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
Monroc	1	6.0 Ltr	2500W/230V	No	No	32 Kg	450	530	430

MONROC 2 GROUP **Art no: C2MONOTA ..... £:** 1637.00

Automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 11,5 litres capacity with heat exchanger per group and cleaning valve. One steam tap (stainless steel) and one hot water tap. Available in standard or takeaway group head versions.

Model	Groups	Boiler	Element	Turbo Frother	PID	Weight	W mm	D mm	H mm
Monroc	2	11.5 Ltr	3050W/230V	No	No	48 Kg	650	530	430

WECHILLIT.COM

Special Order

We offer a far greater range and variance than shown within the pages of the price list and below are some of the range that we can offer on a special build to order basis. Within each of the models shown there is a great diversity of types available. By using any smart phone QR code scanner you can download a full brochure so you will be able to discover more.

ELEGANCE

As can be gathered from the name, this range contains machines with a very sober and elegant look. A machine in the New Elegance range suits all environments where you wish to serve an espresso. Thanks to the New Elegance range, Crem International can offer a broad spectrum of very well-made and reliable machines. They come in many versions, ranging from the basic models to the most advanced Takeaway models. Whatever your requirements, the New Elegance range has a model for you.

DISCOVER MORE QR SCAN

MEGACREM

Mega Crem is a range of handsomely designed and very reliable espresso machines. The various models come in many types and range from a basic models to the most advanced machines. Mega Crem come invarious models and is also available as a takeaway type with space for tall glasses. Regardless of which model you chose, the result is the same - a perfect espresso. All machines in the Mega Crem line are offered in three smashing colours which means that they fit into most environments.

DISCOVER MORE QR SCAN

ELAN

As standard, all models have a large main boiler but can be supplied with a multiple boiler system and the machines then have separate boilers for each brewing group. The machines with a display are also equipped with an advanced PID sensor system so that the water always keeps an exact brewing temperature. The temperature is continuously monitored and is rapidly adjusted if it changes. On the machines with multi bolier the temperature can be adjusted individually for each brewing group for the very best espresso experience.

DISCOVER MORE QR SCAN

ROSETTA

If you wish to serve your guests a perfect espresso, a machine from the Rosetta range is a self-given requirement for success. The machines are available in many different models. This means that there is always a machine suitable for your needs. The machines are manufactured by Expobar's skilled and experienced craftsmen which guarantees extreme reliability and user-friendliness. The elegant design further means that the machines are noticed and admired. An Rosetta machine simply becomes the natural central point, wherever you wish to serve espresso. A machine from the Rosetta range ensures an optimal experience for all senses and gives great pleasure to all espresso lovers across the world.

DISCOVER MORE QR SCAN

WECHILLIT.COM

MIGNON **Art no: 20501**..... **£:** 299.00

Professional features with no compromise: Mignon instant grinder is a fundamental partner to all baristas that wish to satisfy their customers needs with decaffeinated or “gourmet” coffee. Notwithstanding its dimensions, Mignon on demand guarantees the same grinding quality and many other features as all other Eureka professional grinders. These relevant features make Mignon the perfect instant grinder to offer to your customers an alternative to the traditional blend.

Model	Grinding Blades	Grinding Capacity	Power supply	Weight	W mm	D mm	H mm
MIGNON	50mm Flat	4 Kilo Per Hour	230V/225W	4.5 Kg	152	159	324

MARFIL GRINDER **Art no: CMAR**..... **£:** 299.00

Traditional espresso grinder that grinds the beans directly down into a container. You can then simply take some newly-ground coffee out of the container to make single or double espresso. The grinder is easy to adjust, to give the right grinding level. The bean container holds about 2.0 kg. A tamper is included with the grinder. Grey ABS body styling.

Model	Grinding Blades	Grinding Capacity	Power supply	Weight	W mm	D mm	H mm
MARFIL	60mm Flat	6 Kilo Per Hour	230V/300W	9 Kg	210	380	600

ZENITH CLUB GRINDER **Art no: 20502**..... **£:** 499.00

Coffee grinder with 60 mm flat burrs with micro metric adjustment without stop points. Automatic start-up every 6 dosings, and automatic stop when the doser is being filled up. Hand made hopper, chromed-metal body.

Model	Grinding Blades	Grinding Capacity	Power supply	Weight	W mm	D mm	H mm
CLUB	60mm Flat	6 - 9 Kilo Per Hour	230V/350W	15 Kg	210	330	560

OLYMPUS K GRINDER **Art no: 20503**..... **£:** 964.00

Heavy duty professional coffee grinder with 68 mm hardened steel conical burrs and a low motor RPM of 680 revs ensure less heat during the grinding action. Comes fitted with micro metric adjustment without stop points and full motor raise lower operation to ensure a perfect alignment of the burrs. Auto start every 6 doses and auto stop when the ground dispenser is full. Chromed-metal body finish.

Model	Grinding Blades	Grinding Capacity	Power supply	Weight	W mm	D mm	H mm
OLYMPUS	68mm Conical	22 Kilo Per Hour	230V/600W	17 Kg	240	259	647

CLUB E ON DEMAND GRINDER **Art no: 20505**..... **£:** 699.00

An easy to use automatic espresso grinder that grinds the beans directly into the filter handle. You can easily set up pre-ground portions for both single and double espresso, or operate manually until you get the volume you want. The grinder starts automatically when you put the handle in the outlet, and produces fresh coffee with the minimum amount of spill. The bean container holds around 1.2 kg. Silver finish cast metal casing.

Model	Grinding Blades	Grinding Capacity	Power supply	Weight	W mm	D mm	H mm
CLUB E	60mm Flat	5.5 Kilo Per Hour	230V/280W	11.5 Kg	221	264	559

DROGHERIA DELI GRINDER **Art no: 20504**..... **£:** 799.00

Drogheria is the coffee grinder engineered for the sale of loose coffee. Thanks to the funnel output design with attached bag support, the operator can quickly supply the customer with the required quantity of ground coffee. the Fast Micrometric Adjustment matches the user-friendly features of all our coffee grinders. The practical graduated knob allows to you change in an easy and safe way the desired grinding coarseness, without wasting time or coffee.

Model	Power supply	Amps	Power Connection	Weight	W mm	D mm	H mm
DROGHERIA	450W/230V	2.0A	13A Socket	11.5 Kg	184	267	645

Knock Drawers

Black Under Grinder Drawer **Art no: 20432**..... **£:** 115.00

Under grinder knock out drawer manufactured from steel and black powder coated construction. Fitted with a nylon coated knock out bar to provide quieter operation. The drawer sits on 4 rubber feet to stop sliding on the counter top.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
20432	100 Coffee's	4 Kg	210	360	100

Chrome Under Grinder Drawer **Art no: 20430**..... **£:** 149.00

Chrome under grinder knock out drawer manufactured from stainless steel polished construction to provide years of service. Fitted with a nylon coated knock out bar to provide quieter operation and also incorporates vented top to stop mould buildup on the waste coffee . The drawer sits on 4 rubber feet to stop sliding on the counter top.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
20430	100 Coffee's	4 Kg	210	360	100

Heavy Duty Under Grinder Drawer **Art no: 20431**..... **£:** 164.00

Stainless steel under grinder knock out drawer manufactured from stainless steel and finished with brush effect to provide years of service and with 50% greater capacity than the standard drawers. Fitted with a nylon coated knock out bar to provide quieter operation and also incorporates vented top to stop mould buildup on the waste coffee . The drawer sits on 4 rubber feet to stop sliding on the counter top.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
20431	150 Coffee's	5 Kg	260	385	100

Compact Under Machine Drawer **Art no: 20436**..... **£:** 195.00

Compact under machine knock out drawer suitable for our 1 and 2 group compact range of machines where space is limited. Manufactured from stainless steel and steel to provide years of service and black powder coated main body. Fitted with a solid knock out bar and removable inner drawer. The drawer sits on 4 rubber feet to stop sliding on the counter top and then the machine sits on top of the drawer adding an extra 113mm to the overhaul height of a machine.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
20436	150 Coffee's	7.7 Kg	410	510	113

Standard Under Machine Drawer **Art no: 20437**..... **£:** 317.00

Polished stainless steel under machine knock out drawer for our 2 group standard range of machines where space is vital. Manufactured from polished stainless steel to provide years of service. Fitted with a solid nylon knock out bar. The drawer sits on 4 rubber feet to stop sliding on the counter top and then the machine sits inside the drawer only adding an extra 70mm to the height of a machine.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
20437	100 Coffee's	8 Kg	632	525	120

Built In Drawer **Art no: E111810150**..... **£:** 169.00

Polished stainless steel under counter built in knock out drawer. PDF fitting sheet is available for download from www.expobar.co.uk very high quality product and ideal for fitting below the espresso machine where space at the side is not available.

Code	Grounds Capacity	Weight	W mm	D mm	H mm
E111810150	200 Coffee's	5 Kg	349	425	136

Expobar Extras

Presentation Boxed Barista Kit **Art no: 20130** ..... **£:** 99.00

Professional grade Barista kit to complement any espresso machine. The boxed kit consist of everything to accompany your traditional machine. Kit includes: 2 x milk pitchers, tamper, tamper stand, milk thermometer & clip, digital shot timer, group head cleaning brush and 3 chocolate topping stencils all securely packaged in presentation box.

Coffee Tamper Stand **Art no: 20137** ..... **£:** 25.00

The practical tamping stand helps to optimise the tamping pressure providing an even better extraction of your coffee. Made from heavy gauge stainless steel with tough rubber working areas and will keep the group handle steady for tamping and keep the spouts from ever touching the work surface, which in turn helps keep coffee grounds from ever touching the spouts and then ending up in the cup.

Coffee Tamper **Art no: 20134** ..... **£:** 36.00

High quality stainless steel tamper designed to fit perfectly with all the Expobar group handles. Weighing in at a 420g for easier tamping pressure with a convex base for better water distribution across the coffee for a better espresso shot. Base diameter is 58mm.

Milk Pitcher Jug

350ml Art no: 20131 ..... **£:** 24.00

600ml Art no: 20132 ..... **£:** 31.00

Milk pitcher jugs with belly type sides is made of 18 heavy gauge high quality stainless steel with a narrow pour spout. A standard steam/frothing pitcher in the commercial espresso industry.

350ml pitcher Height of pitcher is 95mm @ 232g
600ml pitcher Height of pitcher is 110mm @ 329g

Frothing Thermometer **Art no: 20136** ..... **£:** 6.00

Milk thermometers are absolutely crucial in creating the difference between drinks like lattes and cappuccinos. Commercial quality stainless steel with built in clip to secure onto the side of your frothing pitcher
Temperature range: 0°C - 110°C with a probe length of 125mm and 40mm dial.

Digital Shot Timer **Art no: 20133** ..... **£:** 10.00

4 Digits Display counts to 99 minutes 59 seconds with count up /down and 30-second beep alarm. Incorporates clip-on / stand / magnet attachments. 3 keys (Min, Sec, Start and Stop) setup panel, easy to operate.

Power: 1 x AAA battery(not included) .
Size: 8cm x 7cm x 2.8cm .
LCD Size: 64mm x 38mm.

Group Head Cleaning Brush **Art no: 20135** ..... **£:** 3.00

Group head cleaning brush with 150mm long handle and angled brush head to enable you to clean around the insides of your group head and shower screen without burning your hands. The 24mm bristles enable you to reach areas that other brushes are unable to. Made from tough polypropylene plastic and dishwasher safe.

Bestmax Flow Meter **Art no: WMFM ..... £:** 90.00

Digital water meter designed for easy installation onto the Bestmax filter head unit. Enables your customer to see when a cartridge replacement is required based on the amount of litres used by the machine, this gives the user the maximum life from the cartridge and also offers maximum protection to the equipment.

Bestmax Filter Installation Kit **Art no: WMFIT ..... £:** 49.00

Complete kit for an easy installation of any machine using the Bestmax filtration system. Consist of multiple plumbing adaptors F3/4"-M3/8 and F3/8"-M3/4", Bestflush adaptor for easy cartridge change, this fits to the output of the filter head and can be pressed to draw water through the filter. Water quality test kit to test for hardness levels which then enables the correct setting on the head unit.

Filter Head **Art no: WMFH..... £:** 60.00

Bestmax filter system head unit. Only one head unit fits all filter cartridges in the range enabling easy upgrade of filter capacity size in the future. The head unit also features a built in shut off valve and non return valve to comply with water board regulations. Easy bypass setting on the head unit to suite all installations of water hardness maximising the cartridge life. Supplied with wall mounting bracket.

Bestmax Filter Cartridge

Art no: WMMR..... £: 112.00
Art no: WMLR..... £: 146.00
Art no: WMXLR ..... £: 176.00
Art no: WM2XLR..... £: 295.00

Maximum taste with minimum effort Bestmax is the all-round filtration solution for optimal coffee water, Bestmax means: simple installation, effective protection against scale, first class taste. Along with the flexibility to upgrade filter sizes thanks to the ingenious Single-Head-Technology.Bestmax filter cartridges offer top technology for coffee machine and vending machines. All filter cartridges are designed as quick-to-install, disposable solutions with 4-level filtration. Installed horizontally or vertically, they fit in anywhere, however confined the space. Particle-free and odourless, the water tastes excellent — the ideal ingredient for aromatic coffee specialities.

Code	Water Capacity	Weight	D mm	H mm
WMMR	4175 Litres Max	2.4 Kg	130	475
WMLR	5885 Litres Max	3.4 Kg	145	500
WMXLR	8570 Litres Max	3.8 Kg	145	500
WM2XLR	13500 Litres Max	5.0 Kg	185	500

Besttaste Filter Cartridge **Art no: WMTR..... £:** 59.00

For use on any machine in scale free areas where maximum taste is required, the Besttaste will provide any machine with optimal coffee water. Besttaste fit in anywhere using our standard filter head, however confined the space. Particle-free and odourless, the water tastes excellent.

Code	Water Capacity	Weight	D mm	H mm
WMTR	1000 Litres Max	1.5 Kg	88	360

Flojet Bottled Water Pump Kit **Art no: WMFLO ..... £:** 148.00

When a water bottle is connected to the system, fresh water is available for use with any of our coffee/tea machines, or any other application where portable potable water is needed. The Bottled Water System Plus is also designed for convenience — the pump shuts off when the water source is depleted, and when water is restored, the pump will automatically restart. This eliminates the chance of any damage to the pump and control box from running dry

Code	Supply	Weight	W mm	D mm	H mm
WMFLO	230vac 0.3A	2 Kg	137	216	67

CAFIZA 1 X 900G TUB CLEANING POWDER **Art no: URN1001-1** .....

1	**£:** 7.93
6+	**£:** 6.5 3
Pallet	**£:** P OA

Cafiza® Espresso Machine Cleaner Powder is an integral part of the daily maintenance routine for Expobar espresso machines. Specifically formulated for effective use in the back flush cleaning process, Cafiza® is designed to combine maximum solubility and cleaning power with easy rinse ability. Cafiza® is recommended for use with a wide-range of traditional espresso machines and is NSF certified for metal compatibility and safety.

CAFIZA TABLETS 1 X 100 CLEANER TABLETS **Art no: URN1002-1**.....

1	**£:** 11.99
12+	**£:** 10 .26
Pallet	**£:** P O A

Cafiza® Espresso Machine Cleaning Tablets are specifically designed for use on a wide-range of super automatic espresso machines. We have worked long and hard to develop a product that meets the demands of a wide range of commercial and domestic fully automatic espresso machines. Cafiza® Espresso Machine Cleaning Tablets are NSF certified for metal compatibility and safety. As an added benefit, our standard size Cafiza® Tablets offer flexibility to operators with traditional espresso machines, as they can also be used to perform a back flush cleaning.

RINZA 1 X 1LTR BOTTLE MILK CLEANER **Art no: URN1003-1**.....

1	**£:** 10.42
6+	**£:** 8.8 7
Pallet	**£:** P O A

Rinza® Milk Frother Cleaner is specifically designed for use on the milk systems of coffee and espresso equipment. An integral component in the daily cleaning regimen, Rinza® easily removes milk residue that can build up on steam wands, valves, and tubes. Suitable for use on automatic milk frothers, manual steam wands, traditional and super automatic espresso machines, Rinza® provides users with a versatile and effective solution for their cleaning needs.

GRINDZ 1 X 430G GRINDER CLEANING POWDER **Art no: URN1004-1** .....

1	**£:** 22.04
12+	**£:** 16. 80
Pallet	**£:** P O A

The world's first and only product for cleaning coffee grinders, Grindz™ Grinder Cleaner is a patent-pending innovation launched in June of 2005. The product is an all-natural, food-safe, and flavour neutral combination presented in coffee bean shaped tablets. Grindz™ quickly and effectively removes stale coffee residue and favoured coffee odours from the internal burrs and casings of coffee grinders. Requiring no grinder disassembly, Grindz™ users simply run the product through the machine just like coffee.

DEZCAL 1 X 28G DESCALE POWDER **Art no: URN1005-1**.....

1	**£:** 0.60
100+	**£:** 0.4 1
Pallet	**£:** P O A

Dezcal™ Activated Scale Remover is specifically formulated to effectively descale hot water tanks and components of coffee and espresso machinery. By removing mineral deposits which clog and impair brewing equipment, Dezcal™ allows machines to perform at optimal levels. Non-toxic and bio-degradable, Dezcal™ is suitable for use by both professional technicians and home users alike. When used on commercial and "closed system" brewers (with a holding tank), special attention should be paid to rinsing.

COFFEE QUEEN SE MILK CLEANER **Art no: Q1104165**.....

1	**£:** 9.38

Milk cleaner designed and formulated specifically to be used on the CQUBE range of fully automatic SE bean to cup range of machines. Supplied in a custom bottle that sits in a compartment within the machine, the liquid is then used automatically during the auto rinse/clean cycles that are programmed into the machine.

WECHILLIT.COM

Terms & Conditions

Crem International UK Ltd (herein referred to as the Manufacturer) machines are guaranteed to be free from any defects in materials or workmanship during manufacture for a period of 12 months from the initial date of equipment despatch. The warranty does not cover items that require replacement in the course of maintenance or as a result of fair wear and tear.

Liability under this warranty is limited at the decision of the Manufacturer to the replacement or repair, free of charge, excluding carriage cost either way or any incurred labour cost, of such parts as shall be acknowledged after the Manufacturer's inspection to be defective in material or workmanship, provided that any such claims under this warranty are notifed to the Manufacturer without delay. All parts recognised as defective shall become the property of the Manufacturer.

except insofar as any injury, damage or loss is caused by the negligence of the Manufacturer or its employees and insofar as exclusion is not prohibited or negated by law this warranty is in substitution for any express or implied guarantee, representation warranty or condition and the Manufacturer shall not be liable for any injury, damage or loss directly or indirectly attributed to any or done in connection herewith.

The unexpired part of this warranty may be transferred to another owner providing the machine has been serviced and maintained by the Manufacturer or Manufacturers authorised service agent as prescribed and remains in the same location.

under the Consumer Protection (Distance Selling) Regulations 2000 (DSRs), consumers have the right to a 7-day 'cooling off' period from purchases bought via internet, fax, phone etc. However, all Crem International UK Ltd products are for commercial use only. DSRs do not apply to business to business transactions and purchases from Crem International UK Ltd are therefore exempt. Although this is strictly the case, in the highly unlikely event that you change your mind with regard to your purchase from us, we will take each return case individually. Please note that a 20% restocking fee is applied to all returns unless agreed beforehand. All goods remain the property of Crem International UK Ltd until paid for.

The warranty shall cease immediately if:

1. The machine is modifed or added to in any way not previously agreed with the Manufacturer in writing.

2. The instructions contained in the Operations Manual are not complied with.

3. The machine is serviced, relocated or maintained by anybody other than the Manufacturer or Manufacturer's authorised service agent.

Observe the following in your best interests;

1. We recommend using only Crem International UK Ltd original parts explicitly approved by us. These parts have been selected for their reliability and suitability for Crem International machines.

2. We are unable to make assessments for other manufacturers parts and therefore cannot be held responsible for them, even if in individual cases an offcial approval or authorisation by governmental or approval agencies exists.

3. Crem International UK Ltd original parts as approved can be obtained from our factory. Comprehensive assistance and advice on maintaining your machine at its optimum level can be obtained from the machine operator's manual and from Crem International UK Ltd.

Exclusions

1. Lime Scale - Any faults resulting from scale related issues.
2. Misuse/Breakages - Resulting from accident, neglect or Operator malpractice.
3. Wearable Items - Group seals, Pumps, Facia Panels, etc.
4. Dispensing Volumes - Any faults caused by adjustment after initial installation.
5. Grinders - The replacement of Grinding Blades.
6. Water Treatment units.
7. Knockout Drawers.
8. Machine accessories.

If you have any queries with regards to the above warranty information, please don't hesitate to con tact us.

Deliveries
Our default delivery service for very small, light items (spare parts) is Royal Mail First Class. For larger items (consumables), items are sent using a national courier service. For very large equipment (espresso machines) items are sent on pallets, by a national courier. All standard deliveries are 1-3 day. A next day priority service is available for urgent deliveries. We aim to despatch by next working day, though if you require urgent delivery we will always aim to despatch same day if we receive your order before 12. Contact us if you have an urgent requirement and we may be able to help.

Damaged Goods
In the unlikely event that the item arrives faulty or damaged in transit, please write a detailed description on the driver's paperwork, signed for by yourself. Please alert us by phone within 2 hours. We will happily exchange this for a replacement unit as soon as is possible. Signing for the goods unseen and then fnding any damage to the goods may make an exchange beyond our reach.

WEEE
If you feel that the equipment has reached its EOL then we do offer a full recycling facility for you and the end user. Simply return the equipment back to our warehouse with a covering letter stating that you would like us to recycle on your behalf and that you release any claim of title on the goods.

Faults/Warranty Claims
In the unlikely event that your equipment has developed a fault, you need to ring us immediately, whether covered by your warranty or not. Many 'faults' which develop are in fact curable over the phone. Legitimate faults occurring under warranty will be dealt with as described in your equipment's specifc warranty. Otherwise Crem International UK Ltd engineers can service your machine when all other cost effective avenues have been exhausted for you.

Warranty coverage limitations?
The warranty call will be deemed non warranty and chargeable to the call originator if in the service agents opinion the breakdown was caused by any of the following:- (basic guideline)

* Poor water quality
* Lime scale
* Poor, fuctuating or unsuitable water pressure
* Problems with the site electrical power ftted to the machine, ftted cable or isolator where applicable.
* Internal lighting and display for fascia panels
* Incorrect use of the machine and misuse
* Failure to operate the machine correctly
* Failure to correctly and frequently clean the machine
* Failure to de-scale the machine frequently, periodically and adequately
* Loss of any machine component
* Breakages of any glass such as gauge glasses
* Programming or adjustment of any machine programming (including operating settings, drink strengths, recipes and drink sizes)
* Failure of the machine or any part-component due to incorrect installation

If the call is deemed not to be covered under the warranty by Crem International UK Ltd, the call originator will be liable to pay all the costs incurred by the machine repair.

Crem International UK Ltd makes the warranty coverage determination based on information stated by our appointed service agent. The decision is made on an individual basis taking the site history into account where appropriate. This decision can be re-evaluated on request. Any re-evaluated decision made by Crem International UK Ltd will be deemed fnal.

We at Crem International wish you many years of satisfaction with your new coffee equipment. Please keep the warranty and Operators instructions in a safe place once you have read the important information contained herein.

crem®
INTERNATIONAL

WECHILLIT.COM